

Attorney Docket # 0415-11CIP

Serial No. **09/688,482**

Amdt. dated 12 September 2003

Reply to Office Action dated 12 August 2003

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Sub 1
1. (Currently Amended) A method of securely delivering to a delivery destination a tote for holding an item, the method comprising the steps of:

placing the item in [providing] a tote, wherein said tote comprises [comprising] a cover, a main structure, and a pair of eyelets on an exterior of the tote, including a first of the pair of eyelets on exterior of the cover and a second of the pair of eyelets on the exterior of the main structure substantially in proximity to the first eyelet;

delivering the tote to a delivery destination; and

securing the tote substantially at the delivery destination by [connecting a securing means to a mounting means substantially at the delivery destination and] looping a portion of [the] a securing means through the pair of eyelets to securely tighten the cover to the main structure of the tote, wherein the securing means is securely connected to a mounting means substantially at the delivery destination.

2. (Currently Amended) The method of claim 1, wherein the ~~[step of securing the tote comprises securing]~~ the securing means is securely connected to a storage container mounted in proximity to the delivery destination, and wherein the method further comprises the step of:

holding the securing means inside the storage container when the securing means is not in use.

3. (Currently Amended) The method of claim 1, wherein the securing means comprises a plurality of sections, ~~[wherein the step of connecting the securing means comprises securing]~~ a first end of a first section of the plurality of sections being securely connected to the mounting means;

Attorney Docket # 3415-11CIP

Serial No. 09/688,482

Amdr. dated 12 September 2003

Reply to Office Action dated 12 August 2003

~~and wherein the step of looping a portion of the securing means comprises~~; and wherein the step of securing the tote substantially at the delivery destination comprises the steps of:

looping a first end of a second section of the plurality of sections through and around the first and second eyelets to securely tighten the cover to the main structure of the tote;
~~and further comprising~~;

connecting a third section of the plurality of sections to one of the first mounting means and a second mounting means proximate the first mounting means;

locking a second end of the third section to a second end of the second section with a first lock that may be opened by a customer; and

after looping the first end of the second section around the first and second eyelets, locking the first end of the second section to a second end of the first section with a second lock that may be opened by a delivery person.

4. (Currently Amended) The method of claim 3, further comprising ~~[the customer]~~ the step of:

retrieving, by the customer, the tote by unlocking the first lock and removing the looped section of the securing means from the first and second eyelets.

5. (Currently Amended) The method of claim 1, wherein the tote further comprises ~~[comprising providing]~~ a second pair of eyelets on a second side of the tote, including a third eyelet on the exterior of the cover and a fourth eyelet on the exterior of the main structure substantially in proximity to the third eyelet^[s], and wherein the step of securing the tote substantially at the delivery destination comprises the step of:

looping a second securing means through the third and fourth eyelets to securely tighten the cover to the main structure of the tote on the second side.

Attorney Docket # 3415-11CIP

Serial No. 09/688,482

Amtd. dated 12 September 2003

Reply to Office Action dated 12 August 2003

6. (Currently Amended) The method of claim 1, wherein the tote further comprises ~~[comprising providing]~~ a hinge on a second side of the tote to connect the cover to the main structure of the tote.

7. (Currently Amended) The method of claim 1, wherein the item comprises ~~[further comprising placing]~~ a grocery item, and wherein the method further comprises the step of: ~~[into the tote and]~~ maintaining the grocery item at a desired temperature by placing a frozen insert in the tote in proximity to the grocery item.

8. (Currently Amended) The method of claim 1, wherein the item comprises ~~[further comprising placing]~~ a grocery item, and wherein the method further comprises the step of: ~~[into the tote and]~~ maintaining the grocery item at a desired temperature by feeding a chilled gas into at least a portion of the tote.

9. (Currently Amended) The method of claim 1, wherein the item comprises a plurality of items, and wherein ~~[further comprising]~~:

the step of placing the item in the tote comprises the step of:

placing the plurality of items in a plurality of totes, wherein each of said plural totes comprises ~~[providing a second tote comprising]~~ a ~~[second]~~ cover, a ~~[second]~~ main structure, and a ~~[second]~~ pair of eyelets on an exterior of the ~~[second]~~ tote, including a ~~[third of the second pair of eyelets]~~ first eyelet on an exterior of the cover and a ~~[fourth of the]~~ second eyelet ~~[pair of eyelets]~~ on the exterior of the ~~[second]~~ main structure substantially in proximity to the first ~~[third]~~ eyelet; and

the step of securing the tote substantially at the delivery destination comprises the step of:

looping the securing means through the ~~[second]~~ pair of eyelets of each tote to tighten the ~~[second]~~ cover of each tote to the ~~[second]~~ main structure of each tote.

Attorney Docket # 3415-11CIP

Serial No 09/688,482

Amdt. dated 12 September 2003

Reply to Office Action dated 12 August 2003

10. (Withdrawn) A system for securely delivering to a delivery destination a tote for holding an item, comprising:

a tote comprising a cover, a main structure, and a pair of eyelets on an exterior of the tote, including a first of the pair of eyelets on the exterior of the cover and a second of the pair of eyelets on the exterior of the main structure substantially in proximity to the first eyelet; and

a securing means for securing the tote substantially at the delivery destination by looping a portion of the securing means through the pair of eyelets to securely tighten the cover to the main structure of the tote.

11. (Withdrawn) The system of claim 10, further comprising a storage container mounted in proximity to the delivery destination for holding the securing means when the securing means is not used to secure the tote, and wherein the securing means comprises means for securing the tote to the storage container.

12. (Withdrawn) The system of claim 10, wherein the storage container comprises a box.

13. (Withdrawn) The system of claim 10, wherein the securing means comprises one of a chain and cable.

14. (Withdrawn) The system of claim 10, wherein the securing means comprises a plurality of sections, a first end of a first section of the plurality of sections being securable to the mounting means, and a first end of a second section of the plurality of sections being loopable through and around the first and second eyelets to securely tighten the cover to the main structure of the tote, and further comprising:

a second mounting means proximate the first mounting means;

Attorney Docket # 3415-11CJP

Serial No **09/688,482**

Amdt. dated 12 September 2003

Reply to Office Action dated 12 August 2003

B4d

means for connecting a third section of the plurality of sections to one of the first mounting means and the second mounting means;

a first lock which may be used by a customer for locking a second end of the third section to a second end of the second section; and

a second lock which may be used by a delivery person for locking the first end of the second section to a second end of the first section, after looping the first end of the second section around the first and second eyelets.

Ad

15. (Withdrawn) The system of claim 10, further comprising a second pair of eyelets on a second side of the tote, including a third eyelet on the exterior of the cover and a fourth eyelet on the exterior of the main structure substantially in proximity to the third eyelet; and means for looping a second securing means through the third and fourth eyelets to securely tighten the cover to the main structure of the tote on the second side.

16. (Withdrawn) The system of claim 10, further comprising a hinge on a second side of the tote to connect the cover to the main structure of the tote.

17. (Withdrawn) The system of claim 10, further comprising a second tote comprising a cover, a main structure and a second pair of eyelets, and wherein the securing means further comprises means for securing the cover of the second tote to the main structure by looping the securing means through and around the second pair of eyelets.

A2

18. (New) The tote recited in claim 1.

19. (New) The mounting means recited in claim 1.

20. (New) The storage container recited in claim 2.